

# Bibliographie

Albers, K. and Fuchs, E. (1987). The expression of mutant epidermal keratin cDNAs transfected in simple epithelial and squamous cell carcinoma lines. *J Cell Biol* *105*, 791-806.

Albers, K. and Fuchs, E. (1989). Expression of mutant keratin cDNAs in epithelial cells reveals possible mechanisms for initiation and assembly of intermediate filaments. *J Cell Biol* *108*, 1477-1493.

Andl, T., Ahn, K., Kairo, A., Chu, E. Y., Wine-Lee, L., Reddy, S. T., Croft, N. J., Cebra-Thomas, J. A., Metzger, D., Chambon, P., *et al.* (2004). Epithelial Bmp1a regulates differentiation and proliferation in postnatal hair follicles and is essential for tooth development. *Development* *131*, 2257-2268.

Blanpain, C. and Fuchs, E. (2006). Epidermal stem cells of the skin. *Annu Rev Cell Dev Biol* *22*, 339-373.  
DOI : [10.1146/annurev.cellbio.22.010305.104357](https://doi.org/10.1146/annurev.cellbio.22.010305.104357)

Blanpain, C., Lowry, W. E., Geoghegan, A., Polak, L., and Fuchs, E. (2004). Self-renewal, multipotency, and the existence of two cell populations within an epithelial stem cell niche. *Cell* *118*, 635-648.

Bonifas, J. M., Rothman, A. L., and Epstein, E. H., Jr. (1991). Epidermolysis bullosa simplex: evidence in two families for keratin gene abnormalities. *Science* *254*, 1202-1205.

Byrne, J. A., Pedersen, D. A., Clepper, L. L., Nelson, M., Sanger, W. G., Gokhale, S., Wolf, D. P., and Mitalipov, S. M. (2007). Producing primate embryonic stem cells by somatic cell nuclear transfer. *Nature* *450*, 497-502.

Chan, E. F., Gat, U., McNiff, J. M., and Fuchs, E. (1999). A common human skin tumour is caused by activating mutations in  $\beta$ -catenin. *Nat Genet* *21*, 410-413.

Cheng, J., Syder, A. J., Yu, Q. C., Letai, A., Paller, A. S., and Fuchs, E. (1992). The genetic basis of epidermolytic hyperkeratosis: a disorder of differentiation-specific epidermal keratin genes. *Cell* *70*, 811-819.

Chiipev, C. C., Korge, B. P., Markova, N., Bale, S. J., DiGiovanna, J. J., Compton, J. G., and Steinert, P. M. (1992). A leucine---proline mutation in the H1 subdomain of keratin 1 causes epidermolytic hyperkeratosis. *Cell* *70*, 821-828.

Coulombe, P. A., Chan, Y. M., Albers, K., and Fuchs, E. (1990). Deletions in epidermal keratins leading to alterations in filament organization in vivo and in intermediate filament assembly in vitro. *J Cell Biol* *111*, 3049-3064.

DOI : [10.1083/jcb.111.6.3049](https://doi.org/10.1083/jcb.111.6.3049)

Coulombe, P. A. and Fuchs, E. (1990). Elucidating the early stages of keratin filament assembly. *J Cell Biol* *111*, 153-169.

Coulombe, P. A., Hutton, M. E., Letai, A., Hebert, A., Paller, A. S., and Fuchs, E. (1991). Point mutations in human keratin 14 genes of epidermolysis bullosa simplex patients: genetic and functional analyses. *Cell* *66*, 1301-1311.

DasGupta, R. and Fuchs, E. (1999). Multiple roles for activated LEF/TCF transcription complexes during hair follicle development and differentiation. *Development* *126*, 4557-4568.

De Luca, M., Pellegrini, G., and Green, H. (2006). Regeneration of squamous epithelia from stem cells of cultured grafts. *Regen Med* *1*, 45-57.

Fuchs, E. (2007). Scratching the surface of skin development. *Nature* *445*, 834-842.

Fuchs, E. and Cleveland, D. W. (1998). A structural scaffolding of intermediate filaments in health and disease. *Science* 279, 514-519.

Fuchs, E. and Green, H. (1980). Changes in keratin gene expression during terminal differentiation of the keratinocyte. *Cell* 19, 1033-1042.

Fuchs, E.V., Coppock, S.M., Green, H., and Cleveland, D.W. 1981. Two distinct classes of keratin genes and their evolutionary significance. *Cell* 27(1 Pt 2): 75-84.

Fuchs, E., Tumbar, T., and Guasch, G. (2004). Socializing with the neighbors: stem cells and their  
DOI : [10.1016/S0092-8674\(04\)00255-7](https://doi.org/10.1016/S0092-8674(04)00255-7)

niche. *Cell* 116, 769-778.

Fuchs, E. and Weber, K. (1994). Intermediate filaments: structure, dynamics, function, and disease. *Annu Rev Biochem* 63, 345-382.

Gat, U., DasGupta, R., Degenstein, L., and Fuchs, E. (1998). De Novo hair follicle morphogenesis and hair tumors in mice expressing a truncated  $\beta$ -catenin in skin. *Cell* 95, 605-614.  
DOI : [10.1016/S0092-8674\(00\)81631-1](https://doi.org/10.1016/S0092-8674(00)81631-1)

Guasch, G., Schober, M., Pasolli, H. A., Polak, L., Conn, E. B., and Fuchs, E. (2007). Loss of TGF $\beta$  signaling destabilizes homeostasis and promotes squamous cell carcinomas in stratified epithelium. *Cancer Cell* 12, 313-327.

Hanna, J., Wernig, M., Markoulaki, S., Sun, C. W., Meissner, A., Cassady, J. P., Beard, C., Brambrink, T., Wu, L. C., Townes, T. M., and Jaenisch, R. (2007). Treatment of sickle cell anemia mouse model with iPS cells generated from autologous skin. *Science* 318, 1920-1923.

Hanukoglu, I. and Fuchs, E. (1982). The cDNA sequence of a human epidermal keratin: divergence of sequence but conservation of structure among intermediate filament proteins. *Cell* 31, 243-252.

Hanukoglu, I. and Fuchs, E. (1983). The cDNA sequence of a Type II cytoskeletal keratin reveals constant and variable structural domains among keratins. *Cell* 33, 915-924.

Hochedlinger, K. and Jaenisch, R. (2006). Nuclear reprogramming and pluripotency. *Nature* 441, 1061-1067.

Horsley, V., Aliprantis, A.O., Polak, L., Glimcher, L.H., and Fuchs, E. 2008. NFATc1 balances quiescence and proliferation of skin stem cells. *Cell* 132: 299-310.

Horsley, V., O'Carroll, D., Tooze, R., Ohinata, Y., Saitou, M., Obukhanych, T., Nussenzweig, M., Tarakhovsky, A., and Fuchs, E. (2006). Blimp1 defines a progenitor population that governs cellular input to the sebaceous gland. *Cell* 126, 597-609.

Huelsken, J. and Birchmeier, W. 2001. New aspects of Wnt signaling pathways in higher vertebrates.  
DOI : [10.1016/S0959-437X\(00\)00231-8](https://doi.org/10.1016/S0959-437X(00)00231-8)

*Curr Opin Genet Dev* 11(5): 547-553.

Ito, M., Liu, Y., Yang, Z., Nguyen, J., Liang, F., Morris, R. J., and Cotsarelis, G. (2005). Stem cells in the hair follicle bulge contribute to wound repair but not to homeostasis of the epidermis. *Nat Med* 11, 1351-1354.

Ito, M., Yang, Z., Andl, T., Cui, C., Kim, N., Millar, S. E., and Cotsarelis, G. (2007). Wnt-dependent de novo hair follicle regeneration in adult mouse skin after wounding. *Nature* 447, 316-320.

- Jamora, C., DasGupta, R., Kocieniewski, P., and Fuchs, E. (2003). Links between signal transduction, transcription and adhesion in epithelial bud development. *Nature* *422*, 317-322.
- Kobielak, A. and Fuchs, E. (2006). Links between  $\alpha$ -catenin, NF-kappaB, and squamous cell carcinoma in skin. *Proc Natl Acad Sci U S A* *103*, 2322-2327.
- Kobielak, K., Pasolli, H. A., Alonso, L., Polak, L., and Fuchs, E. (2003). Defining BMP functions in the hair follicle by conditional ablation of BMP receptor IA. *J Cell Biol* *163*, 609-623.
- Kobielak, K., Stokes, N., de la Cruz, J., Polak, L., and Fuchs, E. (2007). Loss of a quiescent niche but not follicle stem cells in the absence of BMP signaling. *PNAS* *104*, 10063-10068.
- Lane, E. B., Rugg, E. L., Navsaria, H., Leigh, I. M., Heagerty, A. H., Ishida-Yamamoto, A., and Eady, R. A. (1992). A mutation in the conserved helix termination peptide of keratin 5 in hereditary skin blistering. *Nature* *356*, 244-246.
- Lechler, T. and Fuchs, E. (2005). Asymmetric cell divisions promote stratification and differentiation of mammalian skin. *Nature* *437*, 275-280.
- Letai, A., Coulombe, P. A., and Fuchs, E. (1992). Do the ends justify the mean? Proline mutations at the ends of the keratin coiled-coil rod segment are more disruptive than internal mutations. *J Cell Biol* *116*, 1181-1195.
- Levy, V., Lindon, C., Harfe, B. D., and Morgan, B. A. (2005). Distinct stem cell populations regenerate the follicle and interfollicular epidermis. *Dev Cell* *9*, 855-861.
- Levy, V., Lindon, C., Zheng, Y., Harfe, B. D., and Morgan, B. A. (2007). Epidermal stem cells arise from the hair follicle after wounding. *Faseb J* *21*, 1-9.
- Li, J., Greco, V., Guasch, G., Fuchs, E., and Mombaerts, P. (2007). Mice cloned from skin cells. *Proc Natl Acad Sci U S A* *104*, 2738-2743.  
DOI : [10.1073/pnas.0611358104](https://doi.org/10.1073/pnas.0611358104)
- Lo Celso, C., Prowse, D. M., and Watt, F. M. (2004). Transient activation of  $\beta$ -catenin signalling in adult mouse epidermis is sufficient to induce new hair follicles but continuous activation is required to maintain hair follicle tumours. *Development* *131*, 1787-1799.
- Lowry, W. E., Blanpain, C., Nowak, J. A., Guasch, G., Lewis, L., and Fuchs, E. (2005). Defining the impact of  $\beta$ -catenin/Tcf transactivation on epithelial stem cells. *Genes Dev* *19*, 1596-1611.
- McLean, G. W., Komiyama, N. H., Serrels, B., Asano, H., Reynolds, L., Conti, F., Hodivala-Dilke, K., Metzger, D., Chambon, P., Grant, S. G., and Frame, M. C. (2004). Specific deletion of focal adhesion kinase suppresses tumor formation and blocks malignant progression. *Genes Dev* *18*, 2998-3003.  
DOI : [10.1101/gad.316304](https://doi.org/10.1101/gad.316304)
- Meissner, A., Wernig, M., and Jaenisch, R. (2007). Direct reprogramming of genetically unmodified fibroblasts into pluripotent stem cells. *Nat Biotechnol* *25*, 1177-1181.
- Merrill, B. J., Gat, U., DasGupta, R., and Fuchs, E. (2001). Tcf3 and Lef1 regulate lineage differentiation of multipotent stem cells in skin. *Genes Dev* *15*, 1688-1705.  
DOI : [10.1101/gad.891401](https://doi.org/10.1101/gad.891401)
- Moore, K. A. and Lemischka, I. R. (2006). Stem cells and their niches. *Science* *311*, 1880-1885.
- Morris, R. J., Liu, Y., Marles, L., Yang, Z., Trempus, C., Li, S., Lin, J. S., Sawicki, J. A., and Cotsarelis, G. (2004). Capturing and profiling adult hair follicle stem cells. *Nat Biotechnol* *22*, 411-417.  
DOI : [10.1038/nbt950](https://doi.org/10.1038/nbt950)

Morrison, S. J. and Kimble, J. (2006). Asymmetric and symmetric stem-cell divisions in development and cancer. *Nature* *441*, 1068-1074.

Nakagawa, M., Koyanagi, M., Tanabe, K., Takahashi, K., Ichisaka, T., Aoi, T., Okita, K., Mochiduki, Y., Takizawa, N., and Yamanaka, S. (2008). Generation of induced pluripotent stem cells without Myc from mouse and human fibroblasts. *Nat Biotechnol* *26*, 101-106.

Nguyen, H., Rendl, M., and Fuchs, E. (2006). Tcf3 governs stem cell features and represses cell fate determination in skin. *Cell* *127*, 171-183.

DOI : [10.1016/j.cell.2006.07.036](https://doi.org/10.1016/j.cell.2006.07.036)

Okita, K., Ichisaka, T., and Yamanaka, S. (2007). Generation of germline-competent induced pluripotent stem cells. *Nature* *448*, 313-317.

Omary, M. B., Coulombe, P. A., and McLean, W. H. (2004). Intermediate filament proteins and their associated diseases. *N Engl J Med* *351*, 2087-2100.

Oshima, H., Rochat, A., Kedzia, C., Kobayashi, K., and Barrandon, Y. (2001). Morphogenesis and renewal of hair follicles from adult multipotent stem cells. *Cell* *104*, 233-245.

Park, I. H., Zhao, R., West, J. A., Yabuuchi, A., Huo, H., Ince, T. A., Lerou, P. H., Lensch, M. W., and Daley, G. Q. (2008). Reprogramming of human somatic cells to pluripotency with defined factors. *Nature* *451*, 141-146.

Perez-Moreno, M., Davis, M. A., Wong, E., Pasolli, H. A., Reynolds, A. B., and Fuchs, E. (2006). p120-catenin mediates inflammatory responses in the skin. *Cell* *124*, 631-644.

Raghavan, S., Bauer, C., Mundschau, G., Li, Q., and Fuchs, E. (2000). Conditional ablation of  $\beta$ 1 integrin in skin. Severe defects in epidermal proliferation, basement membrane formation, and hair follicle invagination. *J Cell Biol* *150*, 1149-1160.

Raghavan, S., Vaezi, A., and Fuchs, E. (2003). A role for  $\alpha\beta$ 1 integrins in focal adhesion function and polarized cytoskeletal dynamics. *Dev Cell* *5*, 415-427.

Rothnagel, J. A., Dominey, A. M., Dempsey, L. D., Longley, M. A., Greenhalgh, D. A., Gagne, T. A., Huber, M., Frenk, E., Hohl, D., and Roop, D. R. (1992). Mutations in the rod domains of keratins 1 and 10 in epidermolytic hyperkeratosis. *Science* *257*, 1128-1130.

Schober, M., Raghavan, S., Nikolova, M., Polak, L., Pasolli, H. A., Beggs, H. E., Reichardt, L. F., and Fuchs, E. (2007). Focal adhesion kinase modulates tension signaling to control actin and focal adhesion dynamics. *J Cell Biol* *176*, 667-680.

Takahashi, K., Tanabe, K., Ohnuki, M., Narita, M., Ichisaka, T., Tomoda, K., and Yamanaka, S. (2007). Induction of pluripotent stem cells from adult human fibroblasts by defined factors. *Cell* *131*, 861-872.

Taylor, G., Lehrer, M. S., Jensen, P. J., Sun, T. T., and Lavker, R. M. (2000). Involvement of follicular stem cells in forming not only the follicle but also the epidermis. *Cell* *102*, 451-461.

Tinkle, C. L., Lechler, T., Pasolli, H. A., and Fuchs, E. (2004). Conditional targeting of E-cadherin in skin: insights into hyperproliferative and degenerative responses. *Proc Natl Acad Sci U S A* *101*, 552-557.

DOI : [10.1073/pnas.0307437100](https://doi.org/10.1073/pnas.0307437100)

Tumbar, T., Guasch, G., Greco, V., Blanpain, C., Lowry, W. E., Rendl, M., and Fuchs, E. (2004). Defining the epithelial stem cell niche in skin. *Science* *303*, 359-363.

DOI : [10.1126/science.1092436](https://doi.org/10.1126/science.1092436)

Vaezi, A., Bauer, C., Vasioukhin, V., and Fuchs, E. (2002). Actin cable dynamics and Rho/Rock orchestrate a polarized cytoskeletal architecture in the early steps of assembling a stratified epithelium. *Dev Cell* 3, 367-381.  
DOI : [10.1016/S1534-5807\(02\)00259-9](https://doi.org/10.1016/S1534-5807(02)00259-9)

Van Mater, D., Kolligs, F. T., Dlugosz, A. A., and Fearon, E. R. (2003). Transient activation of  $\beta$ -catenin signaling in cutaneous keratinocytes is sufficient to trigger the active growth phase of the hair cycle in mice. *Genes Dev* 17, 1219-1224.

Vasioukhin, V., Bauer, C., Degenstein, L., Wise, B., and Fuchs, E. (2001). Hyperproliferation and defects in epithelial polarity upon conditional ablation of  $\alpha$ -catenin in skin. *Cell* 104, 605-617.  
DOI : [10.1016/S0092-8674\(01\)00246-X](https://doi.org/10.1016/S0092-8674(01)00246-X)

Vasioukhin, V., Bauer, C., Yin, M., and Fuchs, E. (2000). Directed actin polymerization is the driving force for epithelial cell-cell adhesion. *Cell* 100, 209-219.

Vassar, R., Coulombe, P. A., Degenstein, L., Albers, K., and Fuchs, E. (1991). Mutant keratin expression in transgenic mice causes marked abnormalities resembling a human genetic skin disease. *Cell* 64, 365-380.

Vassar, R., Rosenberg, M., Ross, S., Tyner, A., and Fuchs, E. (1989). Tissue-specific and differentiation-specific expression of a human K14 keratin gene in transgenic mice. *Proc Natl Acad Sci U S A* 86, 1563-1567.  
DOI : [10.1073/pnas.86.5.1563](https://doi.org/10.1073/pnas.86.5.1563)

Weissman, I. L. (2000). Translating stem and progenitor cell biology to the clinic: barriers and opportunities. *Science* 287, 1442-1446.

Yu, J., Vodyanik, M. A., Smuga-Otto, K., Antosiewicz-Bourget, J., Frane, J. L., Tian, S., Nie, J., Jonsdottir, G. A., Ruotti, V., Stewart, R., et al. (2007). Induced pluripotent stem cell lines derived from human somatic cells. *Science* 318, 1917-1920.  
DOI : [10.1126/science.1151526](https://doi.org/10.1126/science.1151526)

Zhou, P., Byrne, C., Jacobs, J., and Fuchs, E. (1995). Lymphoid enhancer factor 1 directs hair follicle patterning and epithelial cell fate. *Genes Dev* 9, 700-713.