

# Bibliography Paul Sieving

## Journal Articles

- Maggiano JM, Fishman GA, Evans LS, Sieving PA, Goldbaum M. Calibration error in dark adaptometer. *Arch Ophthalmol* 96:1082–3 (1975).
- Sieving PA, Fishman GA. Refractive errors of retinitis pigmentosa patients. *Br J Ophthalmol* 62:163–7 (1975).
- Sieving PA, Fishman GA, Maggiano JM. Corneal wick electrode for recording bright flash electroretinograms and early receptor potentials. *Arch Ophthalmol* 96:899–900 (1975).
- Sieving PA, Fishman GA. Rod contribution to the human ERP estimated from monochromats' data. *Doc Ophthalmol Proc Ser* 31:95–102 (1982).
- Sieving PA, Fishman GA, Alexander KR, Goldberg MF. Early receptor potential (ERP) measurements in human ocular siderosis. *Arch Ophthalmol* 101:1716–20 (1983).
- Jampol LM, Sieving PA, Pugh D, Fishman GA, Gilbert H. Multiple evanescent white dot syndrome—Part I: clinical findings. *Arch Ophthalmol* 102:671–4 (1984).
- Sieving PA, Fishman GA, Salzano, Rabb MF. Acute macular neuroretinopathy: early receptor potential change suggests photoreceptor pathology. *Br J Ophthalmol* 68:229–34 (1984).
- Sieving PA, Fishman GA, Jampol LM, Pugh D. Multiple evanescent white dot syndrome—Part II: electrophysiology of the photoreceptors during retinal pigment epithelial disease. *Arch Ophthalmol* 102:675–9 (1984).
- Sieving PA, Steinberg RH. Contribution from proximal retina to intraretinal pattern ERG: the m-wave. *Invest Ophthalmol Vis Sci* 26:1642–7 (1985).
- Sieving PA, Frishman LJ, Steinberg RH. M-wave of proximal retina in cat. *J Neurophysiol* 56(4):1039–48 (1986).
- Sieving PA, Frishman LJ, Steinberg RH. Scotopic threshold response of proximal retina in cat. *J Neurophysiol* 56(4):1049–61 (1986).
- Sieving PA, Niffenegger J, Berson EL. Electroretinographic findings in selected pedigrees with choroideremia. *Am J Ophthalmol* 101:361–7 (1986).
- Sieving PA, Steinberg RH. Proximal retinal contribution to the intraretinal 8-Hz pattern ERG of cat. *J Neurophysiol* 57(1):104–20 (1987).
- Frishman LJ, Sieving PA, Steinberg RH. Contributions to the electroretinogram of currents originating in proximal retina. *Vis Neurosci* 1:307–15 (1988).
- Han D, Sieving PA, Johnson MW, Martonyi CL. Foveal retinoschisis associated with senile retinoschisis in a woman. *Am J Ophthalmol* 106:107–9 (1988).
- Sieving PA, Nino C. Scotopic Threshold Response (STR) of the human electroretinogram. *Invest Ophthalmol Vis Sci* 29:1608–14 (1988).
- Wakabayashi K, Gieser J, Sieving PA. Aspartate separation of the scotopic threshold response (STR) from the photoreceptor a-wave of the cat and monkey ERG. *Invest Ophthalmol Vis Sci* 29:1615–22 (1988).
- Ticho B, Sieving P. Leber's congenital amaurosis with marbleized fundus and juvenile nephronophthisis. *Am J Ophthalmol* 107:426–8 (1989).

Rowe SE, Trobe JD, Sieving PA. Idiopathic photoreceptor dysfunction causes unexplained visual acuity loss in later adulthood. *Ophthalmology* 97:1632–7 (1990).

Sieving PA, Bingham EL, Roth MS, Young MR, Boehnke M, Kuo C-Y, Ginsburg D. Linkage relation-ship of X-linked juvenile retino-schisis with Xp22.1–p22.3 probes. *Am J Hum Genet* 47:616–21 (1990).

Arrindell EL, Trobe JD, Sieving PA, Barnett JL. Pupillary and electroretinographic abnormalities in a family with neuronal intranuclear hyaline inclusion disease. *Arch Ophthalmol* 109:373–8 (1991).

Murayama K, Kuo C-Y, Sieving PA. Abnormal threshold ERG response in X-linked juvenile retinoschi-sis: evidence for a proximal retinal origin for the human STR. *Clin Vis Sci* 6:317–22 (1991).

Naarendorp F, Sieving PA. The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine. *Vis Res* 31:1–15 (1991).

Richards JE, Kuo C-Y, Boehnke M, Sieving PA. Rhodopsin Thr58Arg mutation in a family with auto-somal dominant retinitis pigmentosa. *Ophthalmology* 98:1797–805 (1991).

Sieving PA. Retinal ganglion cell loss does not abolish the scotopic threshold response (STR) of the cat and human ERG. *Clin Vis Sci* 6:149–58 (1991).

Sieving PA, Wakabayashi K. Comparison of rod threshold ERG from monkey, cat and human. *Clin Vis Sci* 6:171–9 (1991).

Sneed SR, Sieving PA. Fenestrated sheen macular dystrophy. *Am J Ophthalmol* 112:1–7 (1991).

Geller AM, Sieving PA, Green DG. Effect on grating identification of sampling with degenerate arrays. *J Opt Soc Am* 9:472–7 (1992).

Murayama K, Sieving PA. Different rates of growth of monkey and human photopic a-, b- and d-waves suggests two sites of ERG light adaptation. *Clin Vis Sci* 7:385–92 (1992).

Geller AM, Sieving PA. Assessment of foveal cone photoreceptors in Stargardt's macular dystrophy using a small dot detection task. *Vis Res* 33:1509–24 (1993).

Macke JP, Davenport CM, Jacobson SG, Hennessey JC, Gonzalez-Fernandez F, Heckenlively J, Finkel-stein D, Palmer R, Maumenee IH, Pearce W, Sieving P, Gouras P, Nathans J. Identification of novel rhodopsin mutations responsible for retinitis pigmentosa: implications for the structure and function of rhodopsin. *Am J Hum Genet* 53:80–9 (1993).

Naarendorp F; Hitchcock PF; Sieving PA. Dopaminergic modulation of rod pathway signals does not affect the scotopic ERG of cat at dark-adapted threshold. *J Neurophysiol* 70:1681–91 (1993).

Bush RA, Sieving PA. A proximal retinal component in the primate photopic ERG a-wave. *Invest Oph-thalmol Vis Sci* 35:635–45 (1994).

Sieving PA. AOS Thesis: Photopic ON- and OFF-pathway abnormalities in retinal dystrophies. *Trans Am Ophthalmol Soc LXXXXI*:701–73 (1994).

Sieving PA. “Unilateral cone dystrophy”: ERG changes implicate abnormal signaling by hyperpolariz-ing bipolar and/or horizontal cells. *Tr Am Ophth Soc XCII*:459–74 (1994).

Sieving PA, Murayama K, Naarendorp F. Push-pull model of the primate photopic electroretinogram: a role for hyperpolarizing neurons in shaping the b-wave. *Vis Neurosci* 11:519–32 (1994).

Yan D, Wong D, Zheng K, Thiselton D, Fujita R, Sieving PA, Bhattacharya SS, Yang-Feng TL, Richards JE, Swaroop A. Dinucleotide repeat polymorphism at the DXS977. *Hum Mol Genet* 3:1030 (1994).

Bush RA, Hawks KW, Sieving PA. Preservation of inner retinal responses in the aged Royal College of Surgeons rat: evidence against glutamate excitotoxicity in photoreceptor degeneration. *Invest Ophthalmol Vis Sci* 36:2054–62 (1995).

Frishman LA, Sieving PA. Evidence for two sites of adaptation affecting the dark-adapted ERG of cats and primates. *Vis Res* 35:435–42 (1995).

Fujita R, Blumberg M, Anderson D, Forsythe P, McHenry C, Yan D, Yang-Feng TL, Sieving PA, Swaroop A. A polymorphic trinucleotide repeat at DXS8170 in the critical region of X-linked retinitis pigmentosa locus RP3 at Xp21.1. *Mol Vis* 1:3 (1995).

Pawar H, Bingham EL, Lunetta KL, Segal M, Richards J, Boehnke M, Sieving PA. Refined genetic mapping of juvenile X-linked retinoschisis. *Hum Hered* 45:206–10 (1995).

Richards JE, Scott KM, Sieving PA. Disruption of conserved rhodopsin disulfide bond by Cys187Tyr mutation causes early and severe autosomal dominant retinitis pigmentosa. *Ophthalmology* 102:669–77 (1995).

Sieving PA, Richards JE, Naarendorp F, Bingham EL, Scott K, Alpern M. Dark-light: model for night-blindness from the human rhodopsin Gly90→Asp mutation. *Proc Natl Acad Sci (USA)* 92:880–4 (1995).

Bush RA, Sieving PA. Inner retinal contributions to the primate photopic fast flicker electroretinogram. *J Opt Soc Am* 13:557–65 (1996).

Fujita R, Bingham E, Forsythe P, McHenry C, Aita V, Bradford AN, Dry K, Segal M, Devoto M, Bruns G, Wright AF, Ott J, Sieving PA, Swaroop A. A recombination outside the BB deletion refines the location of the X-linked retinitis pigmentosa locus RP3. *Am J Hum Genet* 59:152–8 (1996).

Hou Y-C, Richards JE, Bingham E, Pawar H, Scott K, Segal M, Lunetta KL, Boehnke M, Sieving PA. Linkage study of Best's vitelliform macular dystrophy (VMD2) in a large North American family. *Hum Hered* 46:211–20 (1996).

Naarendorp F, Rice KS, Sieving PA. Summation of rod and S-cone signals at threshold in human observers. *Vision Res* 36:2681–8 (1996).

Pawar H, Bingham EL, Hiriyanna K, Segal M, Richards JE, Sieving PA. X-linked juvenile retinoschisis: localization between (DXS1195, DXS418) and AFM291wf5 on a single YAC. *Hum Hered* 46:329–35 (1996).

Sieving PA, Boskovich S, Bingham E, Pawar H. Sorsby's fundus dystrophy in a family with a SER-181-CYS mutation in the TIMP-3 gene: poor outcome after laser photocoagulation. *Trans Am Ophthalmol Soc*, XCIV: 275–97 (1996).

Buraczynska M, Wu W, Fujita R, Buraczynska K, Phelps E, Andreasson S, Bennett J, Birch DG, Fishman GA, Hoffman DR, Inana G, Jacobson SG, Musarella MA, Sieving PA, Swaroop A. Spectrum of mutations in the RPGR gene that are identified in 20% of families with X-linked retinitis pigmentosa. *Am J Hum Genet* 61:1287–92 (1997).

Farjo Q, Jackson A, Pieke-Dahl S, Scott K, Kimberling WJ, Sieving PA, Richards JE, Swaroop A. Human bZIP transcription factor gene NRL: structure, genomic sequence, and fine linkage mapping at 14q11.2 and negative mutation analysis in patients with retinal degeneration. *Genomics* 45:395–401 (1997).

Fujita R, Buraczynska M, Gieser L, Wu W, Forsythe P, Abrahamson M, Jacobson SG, Sieving PA, Andreasson S, Swaroop A. Analysis of the RPGR gene in 11 pedigrees with the Retinitis Pigmentosa Type 3 genotype: paucity of mutations in the coding region but splice defects in two families. *Am J Hum Genet* 61:571–80 (1997).

Humphries MM, Rancourt D, Farrar GJ, Kenna P, Hazel M, Bush RA, Sieving PA, Sheils DM, McNally N, Creighton P, Erven A, Boros A, Gulya K, Capecchi MR, Humphries P. Retinopathy induced in mice by targeted disruption of the rhodopsin gene. *Nat Genet* 15:216–9 (1997).

Kim S, Bush RA, Sieving PA. Increased phase lag of the fundamental harmonic component of the 30-Hz flicker ERG in Schubert-Bornschein complete-type CSNB. *Vis Res* 37:2471–5 (1997).

Swain PK, Chen S, Wang Q-L, Affatigato LM, Coats CL, Brady KD, Fishman GA, Jacobson SG, Swa-roop A, Stone E, Sieving PA, Zack DJ. Mutations in the cone-rod homeobox gene are associated with the cone-rod dystrophy photoreceptor degeneration. *Neuron* 19:1329–36 (1997).

Innis JW, Sieving PA, McMillan P, Weatherly RA. Apparently new syndrome of sensorineural hearing loss, retinal pigment epithelium lesions, and discolored teeth. *Am J Med Gen* 75:13–7 (1998).

Retinoschisis Consortium, The (Group 3: Hiriyan KT, Bingham EL, McHenry C, Pawar H, Coats C, Darga T, Richards JE, Sieving PA; W. K. Kellogg Eye Center, University of Michigan, Ann Arbor, MI, USA). Functional implications of the spectrum of mutations found in 234 cases with X-linked juvenile retinoschisis (XLRS). *Hum Mol Genet* 7:1185–92 (1998).

Sieving PA, Arnold EB, Jamison J, Liepa A, Coats C. Submicrovolt flicker electroretinogram: cycle-by-cycle recording of multiple harmonics with statistical estimation of measurement uncertainty. *Invest Ophthalmol Vis Sci* 39:1462–9 (1998).

Sugawara T, Sieving PA, Iuvone M, Bush RA. The melatonin antagonist luzindole protects retinal photoreceptors from light damage in the rat. *Invest Ophthalmol Vis Sci* 39:2458–65 (1998).

Ayyagari R, Kakuk LE, Coats CL, Bingham EL, Toda Y, Felius J, Sieving PA. Bilateral macular atrophy in blue cone monochromacy (BCM) with loss of the locus control region (LCR) and part of the red pigment gene. *Mol Vis* 5:13 (1999).

Caldwell GM, Kakuk LE, Griesinger IB, Simpson SA, Nowak NJ, Small KW, Maumenee IH, Rosenfeld PJ, Sieving PA, Shows TB, Ayyagari R. Bestrophin gene mutations in patients with Best vitelliform macular dystrophy. *Genomics* 58:98–101 (1999).

Hiriyan KT, Bingham EL, Yashar BM, Ayyagari R, Fishman G, Small KW, Weinberg DV, Weleber RG, Lewis RA, Andreasson S, Richards JE, Sieving PA. Novel mutations in XLRS1 causing retino-schisis, including first evidence of putative leader sequence change. *Hum Mut* 14:423–7 (1999).

McNally N, Kenna P, Humphries MM, Hobson AH, Khan NW, Bush RA, Sieving PA, Humphries P, Farrar GJ. Structural and functional rescue of murine rod photoreceptors by human rhodopsin trans-gene. *Hum Mol Genet* 8:1309–12 (1999).

Mears AJ, Gieser L, Yan D, Chen C, Fahrner S, Hiriyan S, Fujita R, Jacobson SG, Sieving PA, Swa-roop A. Protein-truncation mutations in the RP2 gene in a North American cohort of families with X-linked retinitis pigmentosa. *Am J Hum Genet* 64:897–900 (1999).

Mendoza-Londono R, Hiriyanna KT, Bingham EL, Rodriguez F, Shastry BS, Rodriguez A, Sieving PA, Tamayo ML. A Colombian family with X-linked juvenile retinoschisis with three affected females: finding of a frameshift mutation. *Ophthalmic Genet* 20:37–43 (1999).

Sieving PA, Bingham EL, Kemp J, Richards J, Hiriyanna K. Juvenile X-linked retinoschisis from XLRS1 Arg213Trp mutation with preservation of the electroretinogram scotopic b-wave. *Am J Ophthalmol* 128:179–84 (1999).

Sieving PA, Yashar BM, Ayyagari R. Juvenile retinoschisis: a model for molecular diagnostic testing of X-linked ophthalmic disease. *Trans Am Ophthalmol Soc* 97:451–64 (1999).

Swaroop A, Wang Q-L, Wu W, Cook J, Coats C, Xu S, Chen S, Zacks DJ, Sieving PA. Leber congenital amaurosis caused by a homozygous mutation (R90W) in the homeodomain of the retinal transcription factor CRX: direct evidence for the involvement of CRX in the development of photoreceptor function. *Hum Mol Genet* 8:299–305 (1999).

Toda K, Bush RA, Humphries P, Sieving PA. The electroretinogram of the rhodopsin knockout mouse. *Vis Neurosci* 16:391–8 (1999).

Walpole SM, Hiriyanna KT, Nicolaou A, Bingham EL, Durham J, Vaudin M, Ross MT, Yates JR, Sieving PA, Trump D. Identification and characterization of the human homologue (RAI2) of a mouse retinoic acid-induced gene in Xp22. *Genomics* 55:275–83 (1999).

Ayyagari R, Griesinger IB, Bingham E, Lark KK, Moroi SE, Sieving PA. Autosomal dominant hemor-rhagic macular dystrophy not associated with the TIMP3 Gene. *Arch Ophthalmol* 118:85–92 (2000).

Ayyagari R, Kakuk LE, Bingham EL, Szczesny JJ, Kemp J, Toda Y, Felius J, Sieving PA. Spectrum of color gene deletions and phenotype in patients with blue cone monochromacy. *Hum Gen* 107:75–82 (2000).

Bush RA, Kononen L, Machida S, Sieving PA. The effect of calcium channel blocker diltiazem on photoreceptor degeneration in the rhodopsin pro23His rat. *Invest Ophthalmol Vis Sci* 41:2697–701 (2000).

Eksandh LC, Ponjavic V, Ayyagari R, Bingham EL, Hiriyanna KT, Andreasson S, Ehinger B, Sieving PA. Phenotypic expression of juvenile X-linked retinoschisis in Swedish families with different mutations in the XLRS1 gene. *Arch Ophthalmol* 118:1098–104 (2000).

Griesinger IB, Sieving PA, Ayyagari R. Autosomal dominant macular atrophy at 6q14 excludes CORD7 and MCDR1/PBCRA loci. *Invest Ophthalmol Vis Sci* 41:248–55 (2000).

Hrach CJ, Johnson MW, Hassan AS, Lei B, Sieving PA, Elner VM. Retinal toxicity of commercial intravitreal tissue plasminogen activator solution in cat eyes. *Arch Ophthalmol* 118:659–63.

Kohl S, Baumann B, Broghammer M, Jägle H, Sieving PA, Kellner U, Spegal R, Anastasi M, Zrenner E, Sharpe LT, Wissinger B. Mutation in the CNGB3 gene encoding the b-subunit of the cone photoreceptor cGMP-gated channel are responsible for achromatopsia (ACHM3) linked to chromosome 8q21. *Hum Mol Genet* 9:2107–16 (2000).

Lei B, Bush RA, Milam AH, Sieving PA. Human melanoma-associated retinopathy (MAR) antibodies alter the retinal ON-response of the monkey ERG *in vivo*. *Invest Ophthalmol Vis Sci* 41:262–6 (2000).

Machida S, Kondo M, Jamison J, Khan NW, Kononen LT, Sugawara T, Bush RA, Sieving PA. P23H rhodopsin transgenic rat: correlation of retinal function with histopathology. *Invest Ophthalmol Vis Sci* 41:3200–9 (2000).

Mears AJ, Hiriyanna S, Vervoort R, Yashar B, Gieser L, Fahrner S, Daiger SP, Heckenlively JR, Sieving PA, Wright AF, Swaroop A. Remapping of the RP15 locus for X-linked cone-rod degeneration to Xp11.4–p21.1, and identification of a de novo insertion in the RPGR exon ORF15. *Am J Hum Gen* 67:1000–3 (2000).

Sugawara T, Sieving PA, Bush RA. Quantitative relationship of the scotopic and photopic ERG to photoreceptor cell loss in light damaged rats. *Exp Eye Res* 70:693–705 (2000).

Thompson DA, Gyürüs P, Fleischer LL, Bingham EL, McHenry CL, Apfelstedt-Sylla E, Zrenner E, Lor-enz B, Richards JE, Jacobson SG, Sieving PA, Gal A. Genetics and phenotypes of RPE65 mutations in inherited retinal degeneration. *Invest Ophthalmol Vis Sci* 41:4293–9 (2000).

Ayyagari R, Zhang K, Hutchinson A, Yu Z, Swaroop A, Kakuk LE, Seddon JM, Bernstein PS, Lewis RA, Tammur J, Yang Z, Li Y, Zhang H, Yashar BM, Liu J, Petrukhin K, Sieving PA, Allikmets R. Evaluation of the ELOVL4 gene in patients with age-related macular degeneration. *Ophthalmic Genet* 22:233–9 (2001).

Humphries MM, Kiang S, McNally N, Donovan MA, Sieving PA, Bush RA, Machida S, Cotter T, Hobson A, Farrar J, Humphries P, Kenna P. Comparative structural and functional analysis of photoreceptor neurons of Rho<sup>-/-</sup> mice reveal increased survival on C57BL/6J in comparison to 129Sv genetic background. *Vis Neurosci* 18: 437–43 (2001).

Jamison JA, Bush RA, Lei B, Sieving PA. Characterization of the rod photoresponse isolated from the dark-adapted primate ERG. *Vis Neurosci* 18:445–55 (2001).

Khan NW, Jamison JA, Kemp JA, Sieving PA. Analysis of photoreceptor function and inner retinal activity in juvenile X-linked retinoschisis. *Vision Res* 41:3931–42 (2001).

Kondo M, Sieving PA. Primate photopic sine-wave flicker ERG: vector modeling analysis of component origins using glutamate analogs. *Invest Ophthalmol Vis Sci* 42:305–12 (2001).

Machida S, Chaudhry P, Shinohara T, Singh DP, Reddy VN, Chylack LT Jr, Sieving PA, Bush RA. Lens epithelium-derived Growth Factor promotes photoreceptor survival in light-damaged and RCS rats. *Invest Ophthalmol Vis Sci* 42:1087–95 (2001).

Mears AJ, Kondo M, Swain PK, Takada Y, Bush RA, Saunders TL, Sieving PA, Swaroop A. Nrl is required for rod photoreceptor development. *Nat Genet* 29:447–52 (2001).

Sieving PA. Fifteen years of work: the COMS outcomes for medium-sized choroidal melanoma. *Arch Ophthalmol* 119: 1067–8 (2001).

Sieving PA, Chaudhry P, Kondo M, Provenzano M, Wu D, Carlson TJ, Bush RA, Thompson DA. Inhibition of the visual cycle in vivo by 13-cis retinoic acid protects from light damage and provides a mechanism for night blindness in isotretinoin therapy. *Proc Natl Acad Sci (USA)* 98:1835–40 (2001).

Sieving PA, Fowler ML, Bush RA, Machida S, Calvert PD, Green DG, Makino CL, McHenry CL. Constitutive “light” adaptation in rods from G90D rhodopsin: a mechanism for human congenital night blindness without rod cell loss. *J Neurosci* 21:5449–60 (2001).

Thompson DA, Li Y, McHenry CL, Carlson TJ, Ding X, Sieving PA, Apfelstedt-Sylla E, Gal A. Mutations in the gene encoding lecithin retinol acyltransferase are associated with early-onset severe retinal dystrophy. *Nat Genet* 28: 123–4 (2001).

Weinberg DV, Sieving PA, Bingham EL, Jampol LM, Mets MB. Bietti crystalline retinopathy and juvenile retinoschisis in a family with a novel RS1 mutation (Letter to Editor). *Arch Ophthalmol* 119:1719 –21 (2001).

Zhang K, Kniazeva M, Han M, Li W, Yu Z, Yang Z, Li Y, Metzker ML, Allikmets R, Zack DJ, Kakuk LE, Lagali PS, Wong PW, MacDonald IM, Sieving PA, Figueroa DJ, Austin CP, Gould RJ, Ayyagari R, Petrukhin K. A 5-bp deletion in ELOVL4 is associated with two related forms of autosomal dominant macular dystrophy. *Nat Genet* 27:89–93 (2001).

Ayyagari R, Demirci FY, Liu J, Bingham EL, Stringham H, Kakuk LE, Boehnke M, Gorin MB, Richards JE, Sieving PA. X-linked recessive atrophic macular degeneration from RPGR mutation. *Genomics* 80: 166–71 (2002).

Breuer DK, Yashar BM, Filippova E, Hiriyanna S, Lyons RH, Mears AJ, Asaye B, Acar C, Vervoort R, Wright AF, Musarella MA, Wheeler P, MacDonald I, Iannaccone A, Birch D, Hoffman DR, Fishman GA, Heckenlively JR, Jacobson SG, Sieving PA, Swaroop A. A comprehensive mutation analysis of RP2 and RPGR in a North American cohort of families with X-linked retinitis pigmentosa. *Am J Hum Genet* 70:1545–54 (2002).

Felius J, Thompson DA, Khan NW, Bingham EL, Jamison JA, Kemp JA, Sieving PA. Clinical course and visual function in a family with mutations in the RPE65 gene. *Arch Ophthalmol* 120:55–61 (2002).

Kondo M, Sieving PA. Post-photoreceptoral activity dominates primate photopic 32-Hz ERG for sine-, square-, and pulsed stimuli. *Invest Ophthalmol Vis Sci* 43:2500–7 (2002).

Traverso V, Bush RA, Sieving PA, Deretic D. Retinal cAMP levels during the progression of retinal de-generation in rhodopsin P23H and S334ter transgenic rats. *Invest Ophthalmol Vis Sci* 43:1655–61 (2002).

Acar C, Mears AJ, Yashar BM, Maheshwary AS, Andreasson S, Baldi A, Sieving PA, Iannaccone A, Musarella MA, Jacobson SG, Swaroop A. Mutation screening of patients with Leber congenital amaurosis or the enhanced S-cone syndrome reveals a lack of sequence variations in the NRL gene. *Mol Vis* 9:14–7 (2003).

Ahmed ZM, Riazuddin S, Ahmad J, Bernstein SL, Guo Y, Sabar MF, Sieving P, Griffith AJ, Friedman TB, Belyantseva IA, Wilcox ER. PCDH15 is expressed in the neurosensory epithelium of the eye and ear and mutant alleles are responsible for both USH1F and DFNB23. *Hum Mol Genet* 12:3215–23 (2003).

Lee TK, McTaggart KE, Sieving PA, Heckenlively JR, Levin AV, Greenberg J, Weleber RG, Tong PY, Anhalt EF, Powell BR, MacDonald IM. Clinical diagnoses that overlap with choroideremia. *Can J Ophthalmol* 38:364–72; quiz 372 (2003).

Moroi SE, Lark KK, Sieving PA, Nouri-Mahdavi K, Schlotzer-Schrehardt U, Katz GJ, Ritch R. Long anterior zonules and pigment dispersion. *Am J Ophthalmol* 136:1176–8 (2003).

Radu RA, Mata NL, Nusinowitz S, Liu X, Sieving PA, Travis GH. Treatment with isotretinoin inhibits lipofuscin accumulation in a mouse model of recessive Stargardt's macular degeneration. *Proc Natl Acad Sci (USA)* 100: 4742–7 (2003).

Rivolta C, Ayyagari R, Sieving PA, Berson EL, Dryja TP. Evaluation of the ELOVL4 gene in patients with autosomal recessive retinitis pigmentosa and Leber congenital amaurosis. *Mol Vis* 9:49–51 (2003).

Schimmenti LA, Manligas GS, Sieving PA. Optic nerve dysplasia and renal insufficiency in a family with a novel PAX2 mutation, Arg115X: further ophthalmologic delineation of the renal-coloboma syndrome. *Ophthalmic Genet* 24:191–202 (2003).

Abecasis GR, Yashar BM, Zhao Y, Ghiasvand NM, Zareparsi S, Branham KE, Reddick AC, Trager EH, Yoshida S, Bahling J, Filippova E, Elner S, Johnson MW, Vine AK, Sieving

PA, Jacobson SG, Richards JE, Swaroop A. Age-related macular degeneration: a high resolution genome scan for susceptibility loci in a population enriched for late-stage disease. *Am J Hum Genet* 74:482–94 (2004).

Ambasudhan R, Wang XF, Jablonski MM, Thompson DA, Lagali PS, Wong PW, Sieving PA, Ayyagari, R. Atrophic macular degeneration mutations in ELOVL4 result in the intracellular misrouting of the protein. *Genomics* 83:615–25 (2004).

Bush RA, Lei B, Tao W, Raz D, Chan C, Cox TA, Santos-Muffley M, Sieving PA. Encapsulated cell-based intraocular delivery of ciliary neurotrophic factor in normal rabbit: dose-dependent effects on ERG and retinal histology. *Invest Ophthalmol Vis Sci* 45(7):2420–30 (2004).

Mandal NA, Ambasudhan R, Wong PW, Gage PJ, Sieving PA, Ayyagari R. Characterization of mouse orthologue of ELOVL4: genomic organization and spatial and temporal expression. *Genomics* 83:626–35 (2004).

McHenry CL, Liu Y, Feng W, Nair AR, Feathers KL, Ding X, Gal A, Vollrath D, Sieving PA, Thompson DA. MERTK arginine-844-cysteine in a patient with severe rod-cone dystrophy: loss of mutant protein function in transfected cells. *Invest Ophthalmol Vis Sci* 45(5):1456–63 (2004).

Takada Y, Fariss RN, Tanikawa A, Zeng Y, Carper D, Bush R, Sieving PA. A retinal neuronal developmental wave of retinoschisin expression begins in ganglion cells during layer formation. *Invest Ophthalmol Vis Sci* 45(9):3302–12 (2004).

Zeng Y, Takada Y, Kjellstrom S, Hiriyanna K, Tanikawa A, Wawrousek E, Smaoui N, Caruso R, Bush RA, Sieving PA. RS-1 gene delivery to an adult Rs1h knockout mouse model restores ERG b-wave with reversal of the electronegative waveform of X-linked retinoschisis. *Invest Ophthalmol Vis Sci* 45(9):3279–85 (2004).

Ayyagari R, Mandal MN, Karoukis AJ, Chen L, McLaren NC, Lichter M, Wong DT, Hitchcock PF, Caruso RC, Moroi SE, Maumenee IH, Sieving PA. Late-onset macular degeneration and long anterior lens zonules result from a CTRP5 gene mutation. *Invest Ophthalmol Vis Sci* 46:3363–71 (2005).

Brzezinski JA 4th, Brown NL, Tanikawa A, Bush RA, Sieving PA, Vitaterna MH, Takahashi JS, Glaser T. Loss of circadian photoentrainment and abnormal retinal electrophysiology in math5 mutant mice. *Invest Ophthalmol Vis Sci* 46:2540–51 (2005).

Khan NW, Kondo M, Hiriyanna KT, Jamison JA, Bush RA, Sieving PA. Primate retinal signaling pathways: suppressing ON-pathway activity in monkey with glutamate analogs mimics human CSNB1-NYX genetic night blindness. *J Neurophysiol* 93:481–92 (2005).

Kohl S, Varsanyi B, Abadin GA, Baumann B, Hoyng C, Jägle H, Rosenberg T, Kellner U, Lorenz B, Salati R, Jurklies B, Farkas A, Andreasson S, Weleber R, Jacobson SG, Rudolph G, Castellan C, Dollfus H, Legius E, Anastasi M, Bitoun P, Lev D, Sieving PA, Munier FL, Zrenner E, Sharp LT, Cremers FPM, Wissinger B. CNGB3 mutations account for 50% of all cases with autosomal recessive achromatopsia. *Eur J Hum Genet* 13:302–8 (2005).

Mandal MN, Heckenlively JR, Burch T, Chen L, Vasireddy V, Koenekoop RK, Sieving PA, Ayyagari R. Sequencing arrays for screening multiple genes associated with early-onset human retinal degenerations on a high-throughput platform. *Invest Ophthalmol Vis Sci* 46(9):3355–62 (2005).

Riazuddin SA, Zulfiqar F, Zhang Q, Sergeev YV, Qazi ZA, Husnain T, Caruso R, Riazuddin S, Sieving PA, Heitmancik JF. Autosomal recessive retinitis pigmentosa is

associated with mutations in RP1 in three consanguineous Pakistani families. *Invest Ophthalmol Vis Sci* 46(7):2264–70 (2005).

Sieving PA. Fostering partnerships: the National Institutes of Health (NIH) mission. *Retina* 25(8)Supp:S84–5 (2005).

Sieving PA. The National Eye Institute: translational clinical research initiatives on inherited and orphan retinal diseases: personal observations. *Retina* 25(8)Supp:S8–9 (2005).

Thompson DA, Janecke AR, Lange J, Feathers KL, Hübner CA, McHenry CL, Stockton DW, Rammes-mayer G, Lupski JR, Antinolo G, Ayuso C, Baiget M, Gouras P, Heckenlively JR, den Hollander A, Jacobson SG, Lewis RA, Sieving PA, Wissinger B, Yzer S, Zrenner E, Utermann G, and Gal A. Retinal degeneration associated with RDH12 mutations results from decreased 11-cis retinal synthesis due to disruption of the visual cycle. *Hum Mol Genet* 14(24):3865–75 (2005).

Vasireddy V, Vijayasarathy C, Huang J, Wang XF, Jablonski MM, Petty HR, Sieving PA, Ayyagari, R. Stargardt-like macular dystrophy protein ELOVL4 exerts a dominant negative effect by recruiting wild-type protein into aggresomes. *Mol Vis* 11:665–76 (2005).

Zhang Q, Zulfiqar F, Riazuddin SA, Xiao X, Yasmeen A, Rogan PK, Caruso R, Sieving PA, Riazuddin S, Hejtmancik JF. A variant form of Oguchi disease mapped to 13q34 associated with partial deletion of GRK1 gene. *Mol Vis* 11:977–85 (2005).

Zhang Q, Zulfiqar F, Xiao X, Riazuddin SA, Ayyagari R, Sabar F, Caruso R, Sieving PA, Riazuddin S, Hejtmancik JF. Severe autosomal recessive retinitis pigmentosa maps to chromosome 1p13.3–p21.2 between D1S2896 and D1S457 but outside ABCA4. *Hum Genet* 118:356–65 (2005).

Alexander DF, Alving BM, Battey JF, Berg JM, Collins FS, Fauci AS, Gallin JI, Grady PA, Hodes RJ, Hrynkow SH, Insel TR, Jones JF, Katz SI, Landis SC, Li TK, Lindberg DA, Nabel EG, Niederhuber JE, Pettigrew RI, Rodgers GP, Ruffin J, Scarpa A, Schwartz DA, Sieving PA, Straus SE, Tabak LA, Volkow ND. Response to: “Rescuing the NIH before it is too late.” *J Clin Invest* 116(6):1462–3 (2006).

Aslanukov A, Bhowmick R, Guruju M, Oswald J, Raz D, Bush RA, Sieving PA, Lu X, Bock CB, Ferreira PA. RanBP2 modulates Cox11 and hexokinase I activities and haploinsufficiency of RanBP2 causes deficits in glucose metabolism. *PLoS Genet* 2(10):1653–65; e177 (2006).

Haywood-Watson RJ 2nd, Ahmed ZM, Kjellstrom S, Bush RA, Takada Y, Hampton LL, Battey JF, Sieving PA, Friedman TB. Ames Waltzer deaf mice have reduced electroretinogram amplitudes and complex alternative splicing of Pcdh15 transcripts. *Invest Ophthalmol Vis Sci* 47(7):3074–84 (2006).

Prenner JL, Capone A Jr, Ciaccia S, Takada Y, Sieving PA, Trese MT. Congenital X-linked retinoschisis classification system. *Retina* 26/7:S61–4 (2006).

Raz-Prag D, Ayyagari R, Fariss RN, Mandal MN, Vasireddy V, Majchrzak S, Webber AL, Bush RA, Salem N Jr, Petrukhin K, Sieving PA. Haploinsufficiency is not the key mechanism of pathogenesis in a heterozygous Elov14 knockout mouse model of STGD3 disease. *Invest Ophthal Vis Sci* 47(8):3603–11 (2006).

Riazuddin SA, Zulfiqar F, Zhang Q, Yao W, Li S, Jiao X, Shahzadi A, Amer M, Iqbal M, Hussnain T, Sieving PA, Riazuddin S, Hejtmancik JF. Mutations in the gene encoding the  $\alpha$ -subunit of rod phosphodiesterase in consanguineous Pakistani families. *Mol Vis* 12:1283–91 (2006).

Sieving PA, Caruso RC, Tao W, Coleman HR, Thompson DJS, Fullmer KR, Bush RA. Ciliary neurotrophic factor (CNTF) for human retinal degeneration: phase-1 trial of CNTF delivered by encapsulated cell intraocular implants. *Proc Natl Acad Sci (USA)* 103(10):3896–3901 (2006).

Takada Y, Fariss RN, Müller M, Bush RA, Rushing EJ, Sieving PA. Retinoschisin expression and localization in rodent and human pineal and consequences of mouse RS1 gene knockout. *Mol Vis* 12:1108–16 (2006).

Vasireddy V, Jablonski MM, Mandal MN, Raz-Prag D, Wang XF, Nizol L, Iannaccone A, Musch DC, Bush RA, Salem N Jr, Sieving PA, Ayyagari R. Elov14 5-bp-deletion knock-in mice develop progressive photoreceptor degeneration. *Invest Ophthalmol Vis Sci* 47(10):4558–68 (2006).

Vijayasarathy C, Gawinowicz MA, Zeng Y, Takada Y, Bush RA, Sieving PA. Identification and characterization of two mature isoforms of retinoschisin in murine retina. *Biochem Biophys Res Commun* 349(1):99–105 (2006).

Wen R, Song Y, Kjellstrom S, Tanikawa A, Liu Y, Li Y, Zhao Y, Bush RA, Laties AM, Sieving PA. Regulation of rod phototransduction machinery by ciliary neurotrophic factor. *J Neurosci* 26(52):13523–30 (2006).

Downs K, Zacks DN, Caruso R, Karoukis AJ, Branham K, Yashar BM, Haimann M, Trzupek K, Meltzer M, Blain D, Richards JE, Weleber RG, Heckenlively JR, Sieving PA, Ayyagari R. Molecular testing for hereditary retinal disease as part of clinical care. *Arch Ophthalmol*, 125(2):252–8 (2007).

Khan NW, Wissinger B, Kohl S, Sieving PA. CNGB3 achromatopsia with progressive loss of residual cone function and impaired rod-mediated function. *Invest Ophthalmol Vis Sci* 48(8):3864–71 (2007).

Kjellstrom S, Bush RA, Zeng Y, Takada Y, Sieving PA. Retinoschisin gene therapy and natural history in the Rs1h-KO mouse: long-term rescue from retinal degeneration. *Invest Ophthalmol Vis Sci* 48(8): 3837–45 (2007).

MacDonald IM, Brooks BP, Sieving PA. Eyeing a new network. *Science* 318(5853):1068 (2007).

MacDonald IM, Sauvé Y, Sieving PA. Preventing blindness in retinal disease: ciliary neurotrophic factor intraocular implants. *Can J Ophthalmol* 42(3):399–402 (2007).

Sieving PA, Collins FS. Genetic ophthalmology and the era of clinical care. *JAMA* 297(7): 733–6 (2007).

Vijayasarathy C, Takada Y, Zeng Y, Bush RA, Sieving PA. Retinoschisin is a peripheral membrane protein with affinity for anionic phospholipids and affected by divalent cations. *Invest Ophthalmol Vis Sci* 48(3): 991–1000 (2007).

Woodruff ML, Olshevskaya EV, Savchenko AB, Peshenko IV, Barrett R, Bush RA, Sieving PA, Fain GL, Dizhoor AM. Constitutive excitation by Gly90Asp rhodopsin rescues rods from degeneration caused by elevated production of cGMP in the dark. *J Neurosci* 27(33):8805–15 (2007).

Zhang Q, Zulfiqar F, Xiao X, Riazuddin SA, Ahmad Z, Caruso R, MacDonald I, Sieving P, Riazuddin S, Hejtmancik JF. Severe retinitis pigmentosa mapped to 4p15 and associated with a novel mutation in the PROM1 gene. *Hum Genet.* 122(3–4):293–9 (2007).

Ahmed ZM, Kjellstrom S, Haywood-Watson RJ, Bush RA, Hampton LL, Battey JF, Riazuddin S, Frolenkov G, Sieving PA, Friedman TB. Double homozygous waltzer and Ames waltzer mice provide no evidence of retinal degeneration. *Mol Vis* 14:2227–36 (2008).

Brooks BP, Macdonald IM, Tumminia SJ, Smaoui N, Blain D, Nezhuvings AA, Sieving PA. Genomics in the era of molecular ophthalmology: reflections on the National Ophthalmic Disease Genotyping Network (eyeGENE). *Arch Ophthalmol* 126(3):424–5 (2008).

Dizhoor AM, Woodruff ML, Olshevskaya EV, Cilluffo MC, Cornwall MC, Sieving PA, Fain GL. Night blindness and the mechanism of constitutive signaling of mutant G90D rhodopsin. *J Neurosci* 28(45): 11662–72 (2008).

Machida S, Raz-Prag D, Fariss RN, Sieving PA, Bush RA. Photopic ERG negative response from amacrine cell signaling in RCS rat retinal degeneration. *Invest Ophthalmol Vis Sci* 49(1):442–52 (2008).

Takada Y, Vijayasarathy C, Zeng Y, Kjellstrom S, Bush RA, Sieving PA. Synaptic pathology in retino-schisis knockout (Rs1-/y) mouse retina and modification by rAAV-Rs1 gene delivery. *Invest Ophthalmol Vis Sci* 49(8):3677–86 (2008).

Vijayasarathy C, Takada Y, Zeng Y, Bush RA, Sieving PA. Organization and molecular interactions of retinoschisin in photoreceptors. *Adv Exp Med Biol* 613:291–7 (2008).

Haruta M, Bush RA, Kjellstrom S, Vijayasarathy C, Zeng Y, Le Y-Z, Sieving PA. Depleting Rac1in mouse rod photoreceptors protects them from photo-oxidative stress without affecting their structure or function. *Proc Natl Acad Sci (USA)* 106(23):9397–402 (2009).

Luna G, Kjellstrom S, Verardo M, Lewis GP, Byun J, Sieving PA, Fisher SK. The effects of transient retinal detachment on cavity size and glial and neural remodeling in a mouse model of X-linked retinoschisis. *Invest Ophthalmol Vis Sci* 50(8):3977-84 (2009).

Park TK, Wu Z, Kjellstrom S, Zeng Y, Bush RA, Sieving PA, Colosi P. Intravitreal delivery of AAV8 retinoschisin results in cell type-specific gene expression and retinal rescue in the RS1-Ko mouse. *Gene Therapy* 16:916–26 (2009).

Raz-Prag D, Zeng Y, Sieving PA, Bush RA. Photoreceptor protection by adeno-associated virus-mediated LEDGF expression in the RCS rat model of retinal degeneration: probing the mechanism. *Invest Ophthalmol Vis Sci* 50(8):3897–906 (2009).

Vijayasarathy C, Ziccardi L, Zeng Y, Smaoui N, Caruso RC, Sieving PA. Null retinoschisin-protein expression from an RS1 c354del1-ins18 mutation causes progressive and severe XLRS in a cross-sectional family study. *Invest Ophthalmol Vis Sci.* 50(11):5375-83 (2009).

Kjellström S, Vijayasarathy C, Ponjavic V, Sieving PA, Andréasson S. Long-term 12 year follow-up of X-linked congenital retinoschisis. *Ophthalmic Genet.* 31(3):114–25 (2010).

Kotova S, Vijayasarathy C, Dimitriadis EK, Ikonomou L, Jaffe H, Sieving PA. Retinoschisin (RS1) interacts with negatively charged lipid bilayers in the presence of Ca<sup>2+</sup>: an atomic force microscopy study. *Biochemistry.* 49(33):7023–32 (2010).

Li L, Nakaya N, Chavali VR, Ma Z, Jiao X, Sieving PA, Riazuddin S, Tomarev SI, Ayyagari R, Riazuddin SA, Hejtmancik JF. A mutation in ZNF513, a putative regulator of photoreceptor development, causes autosomal-recessive retinitis pigmentosa. *Am J Hum Genet.* 87(3):400–9 (2010).

Naz S, Riazuddin SA, Li L, Shahid M, Kousar S, Sieving PA, Hejtmancik JF, Riazuddin S. A novel locus for autosomal recessive retinitis pigmentosa in a consanguineous Pakistani family maps to chromosome 2p. *Am J Ophthalmol.* 149(5):861–6 (2010).

Raz-Prag D, Grimes WN, Fariss RN, Vijayasarathy C, Campos MM, Bush RA, Diamond JS, Sieving PA. Probing potassium channel function in vivo by intracellular delivery of antibodies in a rat model of retinal neurodegeneration. *Proc Natl Acad Sci (USA).* 107(28):12710–5 (2010).

Riazuddin SA, Iqbal M, Wang Y, Masuda T, Chen Y, Bowne S, Sullivan LS, Waseem NH, Bhattacharya S, Daiger SP, Zhang K, Khan SN, Riazuddin S, Hejtmancik JF, Sieving PA, Zack DJ, Katsanis N. A splice-site mutation in a retina-specific exon of BBS8 causes nonsyndromic retinitis pigmentosa. *Am J Hum Genet.* 86(5):805–12 (2010).

Riazuddin SA, Shahzadi A, Zeitz C, Ahmed ZM, Ayyagari R, Chavali VR, Ponferrada VG, Audo I, Michiels C, Lancelot ME, Nasir IA, Zafar AU, Khan SN, Husnain T, Jiao X, MacDonald IM, Riazuddin S, Sieving PA, Katsanis N, Hejtmancik JF. A mutation in SLC24A1 implicated in autosomal-recessive congenital stationary night blindness. *Am J Hum Genet.* 87(4):523–31 (2010).

Sergeev YV, Caruso RC, Meltzer MR, Smaoui N, MacDonald IM, Sieving PA. Molecular modeling of retinoschisin with functional analysis of pathogenic mutations from human X-linked retinoschisis. *Hum Mol Genet.* 19(7):1302–13 (2010).

Shahzadi A, Riazuddin SA, Ali S, Li D, Khan SN, Husnain T, Akram J, Sieving PA, Hejtmancik JF, Riazuddin S. Nonsense mutation in MERTK causes autosomal recessive retinitis pigmentosa in a consanguineous Pakistani family. *Br J Ophthalmol.* 94(8):1094–9 (2010).

Sieving PA. At the frontier of vision research: The National Eye Institute celebrates 40 years. *Am J Ophthalmol* 149(2):179-81 (2010).

Vijayasarathy C, Sui R, Zeng Y, Yang G, Xu F, Caruso RC, Lewis RA, Ziccardi L, Sieving PA. Molecular mechanisms leading to null-protein product from retinoschisin (RS1) signal-sequence mutants in X-linked retinoschisis (XLRS) disease. *Hum Mut.* 31(11):1251–60 (2010).

Wu DM, Khanna H, Atmaca-Sonmez P, Sieving PA, Branham K, Othman M, Swaroop A, Daiger SP, Heckenlively JR. Long-term follow-up of a family with dominant X-linked retinitis pigmentosa. *Eye (Lond).* 24(5):764–74 (2010).

Naz S, Ali S, Riazuddin SA, Farooq T, Butt NH, Zafar AU, Khan SN, Husnain T, Macdonald IM, Sieving PA, Hejtmancik JF, Riazuddin S. Mutations in RLBP1 associated with fundus albipunctatus in consanguineous Pakistani families. *Br J Ophthalmol.* 95(7):1019-24 (2011).

Ali S, Riazuddin SA, Shahzadi A, Nasir IA, Khan SN, Husnain T, Akram J, Sieving PA, Hejtmancik JF, Riazuddin S. Mutations in the β-subunit of rod phosphodiesterase identified in consanguineous Pakistani families with autosomal recessive retinitis pigmentosa. *Mol Vis.* 17:1373-80. (2011).

Bowles K, Cukras C, Turriff A, Sergeev Y, Vitale S, Bush RA, Sieving PA. X-linked retinoschisis: age and mutation both effect the ERG phenotype in a cohort of 68 affected male subjects. *Invest Ophthalmol Vis Sci.* 52(12):9250-6 (2011).

Iqbal M, Naeem MA, Riazuddin SA, Ali S, Farooq T, Qazi ZA, Khan SN, Husnain T, Riazuddin S, Sieving PA, Hejtmancik JF, Riazuddin S. Association of pathogenic mutations

in TULP1 with retinitis pigmentosa in consanguineous Pakistani families. *Arch Ophthalmol.* 129(10):1351-7 (2011).

Cukras CA, Wong WT, Caruso R, Cunningham D, Zein W, Sieving PA. Centrifugal expansion of fundus autofluorescence patterns in Stargardt disease over time. *Arch Ophthalmol.* 130(2):171-9 (2012).

Cukras CA, Wong WT, Caruso R, Cunningham D, Zein W, Sieving PA. Reply: Fundus autofluorescence patterns in Stargardt disease over time. *Archives of Ophthalmology* 130:1354-1355 (2012).

Naeem MA, Chavali VR, Ali S, Iqbal M, Riazuddin S, Khan SN, Husnain T, Sieving PA, Ayyagari R, Riazuddin S, Hejtmancik JF, Riazuddin SA. GNAT1 Associated with autosomal recessive congenital stationary night blindness. *Invest Ophthalmol Vis Sci.* 53(3):1353-61 (2012).

Vijayasarathy C, Ziccardi L, Sieving PA. Biology of retinoschisin. *Adv Exp Med Biol.* 723:513-8 (2012).

Branham K, Othman M, Brumm M, Karoukis AJ, Atmaca-Sonmez P, Yashar BM, Schwartz SB, Stover NB, Trzupek K, Wheaton D, Jennings B, Ciccarelli ML, Jayasundera KT, Lewis RA, Birch D, Bennett J, Sieving PA, Andreasson S, Duncan JL, Fishman GA, Iannaccone A, Weleber RG, Jacobson SG, Heckenlively JR, Swaroop A. Mutations in RPGR and RP2 account for 15% of males with simplex retinal degenerative disease. *Investigative Ophthalmology & Visual Science* 53:8232-8237 (2012).

Cukras C, Gaasterland T, Lee P, Gudiseva HV, Chavali VR, Pullakhandam R, Maranhao B, Edsall L, Soares S, Reddy GB, Sieving PA, Ayyagari R. Exome analysis identified a novel mutation in the RBP4 gene in a consanguineous pedigree with retinal dystrophy and developmental abnormalities. *PLoS One* 7:e50205 (2012).

Sieving PA. NEI Audacious Goals Initiative to catalyze innovation. *Investigative Ophthalmology & Visual Science* 53:7149-7150 (2012).

Vijayasarathy C, Ziccardi L, Sieving PA. Biology of retinoschisin. *Advances in Experimental Medicine & Biology* 723:513-518 (2012).

Wen R, Tao W, Li YW, Sieving PA. CNTF and retina. *Progress in Retinal and Eye Research* 31:136-151 (2012).

Ziccardi L, Vijayasarathy C, Bush RA, Sieving PA. Loss of retinoschisin (RS1) cell surface protein in maturing mouse rod photoreceptors elevates the luminance threshold for light-driven translocation of transducin but not arrestin. *Journal of Neuroscience* 32:13010-13021 (2012).

Bowne SJ, Sullivan LS, Avery CE, Sasser EM, Roorda A, Duncan JL, Wheaton DH, Birch DG, Branham KE, Heckenlively JR, Sieving PA, Daiger SP. Mutations in the small nuclear riboprotein 200 kDa gene (SNRNP200) cause 1.6% of autosomal dominant retinitis pigmentosa. *Molecular Vision* 19:2407-2417 (2013).

D'Souza L, Cukras C, Antolik C, Craig C, Lee JY, He H, Li SB, Smaoui N, Hejtmancik JF, Sieving PA, Wang XJ. Characterization of novel RS1 exonic deletions in juvenile X-linked retinoschisis. *Molecular Vision* 19:2209-2216 (2013).

Kabir F, Naz S, Riazuddin SA, Naeem MA, Khan SN, Husnain T, Akram J, Sieving PA, Hejtmancik JF, Riazuddin S. Novel mutations in RPE65 identified in consanguineous Pakistani families with retinal dystrophy. *Molecular Vision* 19:1554-1564 (2013).

Sergeev YV, Vitale S, Sieving PA, Vincent A, Robson AG, Moore AT, Webster AR, Holder GE. Molecular modeling indicates distinct classes of missense variants with mild and severe XLRS phenotypes. *Human Molecular Genetics* 22:4756-4767 (2013).

Swaroop A, Sieving PA. The golden era of ocular disease gene discovery: Race to the finish. *Clinical Genetics* 84:99-101 (2013).

Zahid S, Khan N, Branham K, Othman M, Karoukis AJ, Sharma N, Moncrief A, Mahmood MN, Sieving PA, Swaroop A, Heckenlively JR, Jayasundera T. Phenotypic conservation in patients with X-linked retinitis pigmentosa caused by RPGR mutations. *JAMA Ophthalmology* 131:1016-1025 (2013).

Huynh N, Jeffrey BG, Turriff A, Sieving PA, Cukras CA. Sorting out co-occurrence of rare monogenic retinopathies: Stargardt disease co-existing with congenital stationary night blindness. *Ophthalmic Genetics* 35:51-56 (2014).

Li D, Jin C, Jiao X, Li L, Bushra T, Naeem MA, Butt NH, Husnain T, Sieving PA, Riazuddin S, Riazuddin SA, Hejtmancik JF. AIPL1 implicated in the pathogenesis of two cases of autosomal recessive retinal degeneration. *Molecular Vision* 20:1-14 (2014).

Song H, Bush RA, Vijayasarathy C, Fariss R, Kjellstrom S, Sieving PA. Transgenic expression of constitutively active RAC1 disrupts mouse rod morphogenesis. *Investigative Ophthalmology & Visual Science* 55(4):2659-68 (2014).

Ziccardi L, Vijayasarathy C, Bush RA, Sieving PA. Photoreceptor pathology in the X-linked retinoschisis (XLRS) mouse results in delayed rod maturation and impaired light driven transducin translocation. *Adv Exp Med Biol.* 801:559-66. (2014).

Cukras C, Huynh N, Vitale S, Wong WT, Ferris FL, Sieving PA. Subjective and objective screening tests for hydroxychloroquine toxicity. *Ophthalmology* 122:356-66 (2014).

Jeffrey BG, Cukras CA, Vitale S, Turriff A, Bowles K, Sieving PA. Test-retest intervisit variability of functional and structural parameters in X-linked retinoschisis. *Translational Vision Science & Technology* 3:5-15 (2014).

Marangoni D, Wu Z, Wiley HE, Zeiss CJ, Camasamudram V, Zeng Y, Hiriyanna S, Bush RA, Wei LL, Colosi P, Sieving PA. Preclinical safety evaluation of a recombinant AAV8 vector after intravitreal administration in rabbits. *Human Gene Therapy Clinical Development* 25:202-11 (2014).

Zein, WM, Jeffrey BG, Wiley HE, Turriff AE, Tumminia SJ, Tao, W, Bush RA, Marangoni D, Wen R, Wei LL, Sieving PA. CNGB3-achromatopsia clinical trial with CNTF: Diminished rod pathway responses with no evidence of improvement in cone function. *Investigative Ophthalmology & Visual Science* 55:6301-8 (2014).

Zein WM, Falsini B, Tsilou ET, Turriff AE, Schultz JM, Friedman TB, Brewer CC, Zalewsk CK, King KA, Muskett JA, Rehman AU, Morell RJ, Griffith AJ, Sieving PA. Cone responses in Usher Syndrome Types 1 and 2 by microvolt electroretinography. *Investigative Ophthalmology & Visual Science* 56:107-114 (2014).

Marangoni D, Wu Z, Wiley HE, Zeiss CJ, Vijayasarathy C, Zeng Y, Hiriyanna S, Bush RA, Wei LL, Colosi P, Sieving PA. Preclinical safety evaluation of a recombinant AAV8 vector for X-linked retinoschisis after intravitreal administration in rabbits. *Hum Gene Ther Clin Dev.* 25:202-11 (2014).

Cukras C, Huynh N, Vitale S, Wong WT, Ferris FL 3rd, Sieving PA. Subjective and objective screening tests for hydroxychloroquine toxicity. *Ophthalmology* 122:356-66 (2015).

Veleri S, Lazar CH, Chang B, Sieving PA, Banin E, Swaroop A. Biology and therapy of inherited retinal degenerative disease: insights from mouse models. *Dis Model Mech.* 8:109-29 (2015).

Wu Z, Hiriyanne S, Qian H, Mookherjee S, Campos MM, Gao C, Fariss R, Sieving PA, Li T, Colosi P, Swaroop A. A long-term efficacy study of gene replacement therapy for RPGR-associated retinal degeneration. *Hum Mol Genet.* Apr 15. (2015).

Ou J, Vijayasarathy C, Ziccardi L, Chen S, Zeng Y, Marangoni D, Pope JG, Bush RA, Wu Z, Li W, Sieving PA. Synaptic pathology and therapeutic repair in adult retinoschisis mouse by AAV-RS1 transfer. *J Clin Invest.* Jun 22 (2015).

## Book Chapters

Steinberg RH, Frishman LJ, Sieving PA. Negative components of the electroretinogram from proximal retina and photoreceptor. In: *Progress in Retinal Research*, Pergamon Press, New York, Vol 10:121–160. 1991.

Sieving PA. In: *Handbook of Clinical Electrophysiology of Vision Testing* (eds.: J Heckenlively, G Arden). Mosby Year Book Publishers, St. Louis, 1991.

Chap. 26: Digital band-pass filtering for electrophysiologic recording systems, 205–10.

Chap. 46: Scotopic threshold response, 352–62.

Chap. 101: Electroretinographic detection of female carriers (Heterozygotes) of X-linked recessive retinitis pigmentosa, 741–3.

Chap. 102: Evaluation of the X-linked carrier state in choroideremia, 744–7.

Sieving PA, Murayama K. Retinitis Pigmentosa. Chap. 65, 534–41. In: *Diagnostic Problems in Clinical Ophthalmology* (eds.: C Margo, LM Hamed, RN Mames). WB Saunders, Philadelphia, 1993.

Sieving PA, Wakabayashi K. Bull's-eye Maculopathies. Chap. 67, 547–55. In: *Diagnostic Problems in Clinical Ophthalmology* (eds.: C Margo, LM Hamed, RN Mames). WB Saunders, Philadelphia, 1993.

Geller AM, Sieving PA. How many foveal cones are required to “see?”: counting photoreceptors in Stargardt’s macular dystrophy and modeling with degenerate visual arrays. In: *Retinal Degeneration: Clinical and Laboratory Applications*. (eds.: JG Hollyfield, RE Anderson, MM LaVail). Plenum Publishing Co., New York, 25–34, 1993.

Sieving PA. Diagnostic issues with inherited retinal and macular dystrophies. In: *Seminars in Ophthalmology*. WB Saunders Company. 10:279–94, 1995.

Sieving PA. Questions for “ProVision: preferred responses in ophthalmology, series 2” (ed.: GL Skuta). American Academy of Ophthalmology, 1996.

Sieving PA. Electrical signals of the retina and visual cortex. Chap. 13, 1–15. In: *Duane’s Foundations of Clinical Ophthalmology* (eds.: W Tasman, EA Jaeger). J B Lippincott, Philadelphia, 1996.

Sieving PA. Juvenile retinoschisis. Chap. 18. In: *Genetic Diseases of the Eye* (ed: EI Traboulsi). Oxford University Press, New York, NY, 1998.

Sieving PA. Retinitis pigmentosa and related disorders.” Chap. 6.10 (550–9). In *Ophthalmology*, 3rd ed. (eds.: M Yanoff, J Duker). Mosby International, London, 2009 (2nd ed., 2004; 1st ed., 1999).

Ayyagari R, Kakuk LE, Toda Y, Coats CL, Bingham EL, Szczesny JJ, Felius J, Sieving PA. Blue cone monochromacy: macular degeneration in individuals with cone specific gene loss. Chap. 22 (223–34). In: *Retinal Degenerative Diseases and Experimental Therapy* (eds.: JG Hollyfield, RE Anderson, MM LaVail). Plenum Publishing Corp., New York, NY, 1999.

Bush RA, Sugawara T, Iuvone PM, Sieving PA. Melatonin receptor blockers enhance photoreceptor survival and function in light damaged rat retina. In: *Retinal Degenerative Diseases and Experimental Therapy* (eds: JG Hollyfield, RE Anderson, MM LaVail). Plenum Publishing Corp., New York, NY, 1999.

Griesinger IB, Sieving PA, Ayyagari R. Autosomal dominant macular degeneration localized to chromosome 6q by linkage analysis. In: *Retinal Degenerative Diseases and Experimental Therapy* (eds: JG Hollyfield, RE Anderson, MM LaVail). Plenum Publishing Corp., New York, NY, 175–182, 1999.

Sieving, PA. Electrophysiologie. In: *Précis d'ophtalmologie* (ed: XD Martin). Editions PAYOT, Lausanne, Switzerland, 2001.

Anderson RE, Sieving PA, Maude MB, Naash MI. DHA levels in rod outer segments of transgenic mice expressing G90D rhodopsin mutations. In: *New Insights Into Retinal Degenerative Diseases* (eds: RE Anderson, MM LaVail, JG Hollyfield). Plenum Publishing Corp., New York, 2001.

Breuer DK, Affer M, Andreasson S, Birch DG, Fishman GA, Heckenlively JR, Hiriyanne S, Hoffman DR, Jacobson SG, Mears AJ, Musarella MA, Redolfi B, Sieving PA, Wright AF, Yasher BM, Zucchi I, Swaroop A. X-linked retinitis pigmentosa: current status. In: *New Insights Into Retinal Degenerative Diseases* (eds: RE Anderson, MM LaVail, JG Hollyfield). Plenum Publishing Corp., New York, 2001.

Hiriyanne KT, Singh R, Bingham EL, Kemp JA, Ayyagari R, Yashar B, Sieving PA. Searching for geno-type-phenotype correlations in X-linked juvenile retinoschisis. In: *New Insights Into Retinal Degenerative Diseases* (eds: RE Anderson, MM LaVail, JG Hollyfield). Plenum Publishing Corp., New York, 2001.

Sieving PA, MacDonald IM, Khan NW. Juvenile X-linked retinoschisis. Chap. 79. In: *Handbook of Clinical Electrophysiology of Vision Testing*, 2nd Ed (eds.: J Heckenlively, G Arden). Mosby Year Book Publishers, St. Louis, 2003.

Sieving PA, Meltzer M, MacDonald I. Gene reviews: clinical genetic information resource. June, 2003. GeneReviews (TM) at the GeneTests–GeneClinics Web site. [see updated 2009 entry]

Sieving PA. Healthy vision month, May 2004: focus is on diabetic retinopathy. *Optometry*. 75:271–3, 2004.

Insel TR, Volkow ND, Landis SC, Li TK, Battey JF, Sieving PA. Limits to growth: why neuroscience needs large-scale science. *Nat Neurosci*. 7:426–527, 2004.

Sieving PA, MacDonald IM, Trese MT. Congenital X-linked retinoschisis. Chap. 25, 377–85. In: *Pedi-atric Retina: Medical and Surgical Approaches* (eds: ME Hartnett, MT Trese, A Capone, et al.). Lippincott Williams & Wilkins, Philadelphia, 2005.

Musarella MA, MacDonald IM, Sieving, PA. Retinoschisis, juvenile (X-linked). In: *Encyclopedia of Medical Genomics and Proteomics*. (eds: J Fuchs, M Podda). Marcel Dekker, Inc., New York, 1147–50, 2005.

Sieving P, Macdonald I, Meltzer MR (updated January 2006) X-linked juvenile retinoschisis in: Gene-Reviews at GeneTests: Medical Genetics Information Resource

[database online]. Copyright, University of Washington, Seattle. 1997–2006. Available at <http://www.genetests.org>.

Vijayasarathy C, Takada Y, Zeng Y, Bush RA, Sieving PA. Organization and molecular interactions of retinoschisin in photoreceptors. In Recent Advances in Retinal Degeneration Research (eds: RE Anderson, MM LaVail, JG Hollyfield). Springer, New York. NY, 291–9, 2008.

Sieving PA, MacDonald IM, Meltzer MR, Smaoui N. X-Linked Juvenile Retinoschisis. In: Pagon RA, Bird TC, Dolan CR, Stephens K, editors. GeneReviews [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2003 Oct 24 [see 2003 entry: updated 2009 May 12], 2009.

Sieving PA. Foreword to Ocular Disease: Mechanisms and Management (eds. LA Levin, DM Albert), WB Saunders/Elsevier, New York, NY, xvii, 2010.

Sieving PA, Ziccardi L. Retinoschisis. Chap. 18. In: Genetic Diseases of the Eye, 2nd ed. (ed: EI Traboulsi). Oxford University Press, New York, NY, (2011).

Sergeev YV, Bowles KE, Ziccardi L, Sieving PA (2011). Molecular modeling of protein structure, biology of disease and clinical electroretinography in human X-linked retinoschisis (XLRS). In: Electoretinograms (ed: Gregor Belusic). InTech, Rijeka, Croatia. [Available at: <http://www.intechopen.com/articles/show/title/molecular-modeling-of-protein-structure-biology-of-disease-and-clinical-electoretinography-in-human>.]

Wen R, Tao W, Li Y, Sieving PA. CNTF and retina. Prog Retina Eye Res. 31:136-51; 2012.

Falsini B, Bush R, Sieving PA. Neuroprotection. In: Retina, 2nd Ed (eds.: S Ryan, A Schachat, C Wilkinson, D Hinton, S Sadda, P Wiedemann). Saunders Publisher (2012).

Cukras C, Zein W, Caruso RC, Sieving PA. Progressive and "stationary" inherited retinal degenerations. Ophthalmology, 4th Edition. Myron Yanoff and Jay Duker, eds. Elsevier Limited, Oxford. (2013).

Sieving PA, MacDonald IM, Chan S, et al. X-Linked Juvenile Retinoschisis. 2003 Oct 24 [Updated 2014 Aug 28]. In: Pagon RA, Adam MP, Ardinger HH, et al., editors. GeneReviews® [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2014. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK1222/>.

Sieving PA. Diabetic retinopathy: Past, present and future. Nova Acta Leopoldina NF 119, Nr. 401, (2014).

Bush RA, Wei LL, Sieving PA. Convergence of human genetics and animal studies: Gene therapy for X-linked retinoschisis. Cold Spring Harbor Perspectives in Medicine (2014).

Veleri S, Lazar CH, Chang B, Sieving PA, Banin E, Swaroop A. Biology and therapy of human inherited retinal neurodegeneration using mouse models. Invited Review. Disease Models and Mechanism. (Submitted, 2014) <http://dmm.biologists.org/>.