

Zhigang HE selected bibliography

1. Cai H, He Z, Din Y. Effects of monocyte macrophage stimulation on lipoprotein receptors. *Biochimica Biophysica Acta* 1988;958(3):334-342.
2. He Z, Cai H, Chen X., Wang N. Modulation of rat Kupffer cells conditioned media on HDL receptors on hepatocytes. *Science in China (Series B)* 1990;33(5):584-591.
3. He Z, Yamamoto R, Furth EE, Schantz LJ, Naylor SL, George H, Bilheimer JT, Strauss JF. cDNAs encoding members of a family of proteins related to human sterol carrier protein 2 and assignment of the gene to human chromosome 1p21-pter. *DNA Cell Biol* 1991;10(8):559-569.
4. He Z, Brinton BT, Greenblatt J, Hassell JA, Ingles CJ. The transactivator proteins VP16 and GAL4 bind replication factor A. *Cell* 1993;73(6):1223-1232.
5. Ohba T, Rennert H, Pfeifer SM, He Z, Yamamoto R, Holt JA, Billheimer JT, Strauss III JF. The structure of the human sterol carrier protein X/sterol carrier protein 2 gene (SCP2). *Genomics* 1994;24(2):370- 374.
6. He Z, Henricksen LA, Wold MS, and Ingles CJ. RPA involvement in the damage-recognition and incision steps of nucleotide excision repair. *Nature* 1995;374(6522):566-569.
7. He Z, Wong JMS, Maniar HS, Brill SJ, and Ingles CJ. Yeast replication protein A (RPA) is required for nucleotide excision repair in vitro. *J Biol Chem* 1996;271(45):28243-28249.
8. He Z, Ingles CJ. Isolation of human complexes proficient in nucleotide excision repair. *Nucleic Acids Res* 1997;25(6):1136-1141.
9. Braun KA, Lao Y, He Z, Ingles CJ, Wold MS. Role of protein-protein interactions in the function of replication protein A (RPA): RPA modulates the activity of DNA polymerase a by multiple mechanisms. *Biochemistry* 1997;36(28):8443-8454.
10. He Z, Tessier-Lavigne M. Neuropilin is a receptor for the axonal chemorepellent Semaphorin III. *Cell* 1997;90(4): 739-751.

11. Chen H, Chedotal A, He Z, Goodman CS, Tessier-Lavigne M. Neuropilin-2, a novel member of the neuropilin family, is a high affinity receptor for the semaphorins Sema E and Sema IV but not Sema III. *Neuron* 1997;19(3), 547-559.
12. Song H-J, Ming G-L, He Z (*The first three authors contributed equally*), Lehmann M, McKerracher L, Tessier-Lavigne M, Poo M-M. Conversion of neuronal growth cone responses from repulsion to attraction by cyclic nucleotides. *Science* 1998;281:1515-1518.
13. Chedotal A, Del Rio JA, Ruiz M, He Z, Borrell V, de Castro F, Ezan F, Goodman CS, Tessier-Lavigne M, Sotelo C, Soriano E. Semaphorins III and IV repel hippocampal axons via two distinct receptors. *Development* 1998;125:4313-4323.
14. Chen H, He Z, Bagri A, Tessier-Lavigne M. Semaphorin-neuropilin interactions underlying sympathetic axon responses to class III semaphorins. *Neuron* 1998;21:1283-1290.
15. Shirvan A, Ziv I, Fleminger G, He Z, Brudo I, Melamed E, Barzilai A. Semaphorins as mediators of neuronal apoptosis. *J Neurochem* 1999;73:961-971.
16. Tamagnone L, Artigiani S, Chen H, He Z (*These authors contributed equally*), Ming G-L, Song H-J, Chedotal A, Winberg ML, Goodman CS, Poo M-M, Tessier-Lavigne M, Comoglio PM. Plexins are a large family of receptors for transmembrane, secreted and GPI-anchored semaphorins in vertebrates. *Cell* 1999;99:71-80.
17. Vikis HG, Li W, He Z, Guan K-L. The semaphorin receptor plexin-B1 specifically interacts with active Rac in a ligand dependent manner. *PNAS* 2000;97:12457-12462.
18. Wang KC, Koprivica V, Kim JA, Sivasankaran R, Guo Y, Neve RL, He Z. Oligodendrocyte-myelin glycoprotein is a Nogo receptor ligand that inhibits neurite outgrowth. *Nature* 2002;417:941-944.
19. Domeniconi M, Cao Z, Spencer T, Sivasankaran R, Wang KC, Nikulina E, Kimura N, Cai H, Deng K, Gao Y, He Z, Filbin MT. Myelin-Associated Glycoprotein Interacts with the Nogo66 Receptor to Inhibit Neurite Outgrowth. *Neuron* 2002;35:283-290.
20. Wang KC, Kim JA, Sivasankaran R, Segal R, He Z. p75 interacts with the Nogo receptor as a co- receptor for Nogo, MAG and OMgp. *Nature* 2002;420:74-78.

21. Sicotte M, Tsatas O, Jeong SY, Cai CQ, He Z, David S. Immunization with myelin or recombinant Nogo-66/MAG in alum promotes axon regeneration and sprouting after corticospinal tract lesions in the spinal cord. *Mol Cell Neurosci* 2002;23:251-263.
22. He XL, Bazan JF, McDermott G, Park JB, Wang K, Tessier-Lavigne M, He Z, Garcia KC. Structure of the Nogo receptor ectodomain: a recognition module implicated in myelin inhibition. *Neuron* 2002;38:177-185.
23. Zhai Q, Wang J, Kim A, Liu Q, Watts R, Hoopfer E, Mitchison T, Luo L, He Z. Involvement of the ubiquitin-proteasome system in the early stages of wallerian degeneration. *Neuron* 2003;39:217-225.
24. Fischer D, He Z, Benowitz LI. Counteracting the Nogo receptor enhances optic nerve regeneration if retinal ganglion cells are in an active growth state. *J Neurosci* 2004;24:1646-1652.
25. Sivasankaran R, Pei J, Wang KC, Zhang YP, Shields CB, Xu X-M, He Z. PKC mediates inhibitory effects of myelin and chondroitin sulfate proteoglycans on axonal regeneration. *Nature Neurosci* 2004;7:261-268.
26. Park J, Yiu G, Kaneko S, Wang J, Chang J, He Z. A TNF receptor family member TROY is a co- receptor with Nogo receptor in mediating the inhibitory activity of myelin inhibitors. *Neuron* 2005;45:345-351.
27. Mi S, Miller RH, Lee X, Scott ML, Shulag-Morskaya S, Shao Z, Chang J, Thill G, Levesque M, Zhang M, Hession C, Sah D, Trapp B, He Z, Jung V, McCoy JM, Pepinsky RB. LINGO-1 negatively regulates myelination by oligodendrocytes. *Nat Neurosci* 2005;8:745-751.
28. Wang J, Zhai Q, Chen Y, He Z. Mediation of NAD-dependent axon degeneration protection by a local mechanism. *J Cell Biol* 2005;170(3):349-355.
29. Koprivica V, Cho KS, Park JB, Yiu G, Atwal J, Gore B, Kim JA, Lin E, Tessier-Lavigne M, Chen DF, He Z. EGFR activation mediates inhibition of axon regeneration by myelin and chondroitin sulfate proteoglycans. *Science* 2005;310:106-110.
30. Kaneko S, Wang J, Kaneko M, Yiu G, Hurrell J, Chitnis T, Khoury SJ, He Z. Protecting Axonal Degeneration by Increasing NAD Levels in Experimental Autoimmune Encephalomyelitis Models. *J Neurosci* 2006;26(38):9794-9804.

31. Chivatakarn O, Kaneko S, He Z, Tessier-Lavigne M, Giger RJ. The Nogo-66 receptor NgR1 is required only for the acute growth cone-collapsing but not the chronic growth-inhibitory actions of myelin inhibitors. *J Neurosci* 2007;27(27):7117-7124.
32. Ji B, Case LC, Liu K, Shao Z, Lee X, Yang Z, Wang J, Tian T, Shulga-Morskaya S, Scott M, He Z, Relton JK, Mi S. Assessment of functional recovery and axonal sprouting in oligodendrocyte-myelin glycoprotein (OMgp) null mice after spinal cord injury. *Mol Cell Neurosci* 2008;39(2):258-267.
33. Harrington AW, Li QM, Tep C, Park JB, He Z, Yoon SO. The role of Kalirin9 in p75/nogo receptor- mediated RhoA activation in cerebellar granule neurons. *J Biol Chem* 2008;283(36):24690-24697.
34. Park K, Liu K, Hu Y, Smith P, Chen W, Cai B, Xu B, Connolly L, Kramvis I, Sahin M, He Z. Promoting axon regeneration in the adult CNS by modulation of the PTEN/mTOR pathway. *Science* 2008;322:963-966.
35. Shen Y, Tenney AP, Busch SA, Horn KP, Cuascut FX, Liu K, He Z, Silver J, Flanagan JG. PTP σ is a receptor for chondroitin sulfate proteoglycan, an inhibitor of neural regeneration. *Science* 2009;326(5952):592-596. PMCID: 2811318.
36. Smith PD, Sun F, Park K, Cai B, Wang C, Kuwako K, Martinez-Carrasco I, Connolly L, He Z. SOCS3 deletion promotes optic nerve regeneration in vivo. *Neuron* 2009;64(5):617-623. PMCID: 2796263.
37. Liu K, Lu Y, Lee JK, Samara R, Willenberg R, Sears-Kraxberger I, Tedeschi A, Park KK, Jin D, Cai B, Xu B, Connolly L, Steward O, Zheng B, He Z. PTEN deletion enhances the regenerative ability of adult corticospinal neurons. *Nat Neurosci* 2010;13(9):1075-1081. PMCID: 2928871
38. Miyamichi K, Amat F, Mousavi F, Wang C, Wickersham I, Wall N, Taniguchi H, Huang ZJ, He, Z., Callaway, E. M., Horowitz, M. A., and L. Luo. Cortical representation of olfactory bulb input revealed by retrograde mono-transsynaptic labeling. *Nature* 472, 191-196, 2011. PMID: 21179085
39. Sun F, Park KK, Belin S, Wang D, Lu T, Chen G, Zhang K, Yeung C, Feng G, Yankner BA, He Z. Sustained axon regeneration induced by co-deletion of PTEN and SOCS3. *Nature* 2011 480, 372-375, 2011.

40. Hu, Y., Park, K.K., Yang, L., Wei, X., Yang, Q., Thielen, P., Lee, A-H., Cartoni, R., Glimcher, L. H., Chen, D.F., and He, Z. Differential Effects of Unfolded Protein Response Pathways on Axon Injury- induced Death of Retinal Ganglion Cells. *Neuron* 73: 445-452, 2012.
41. Zukor, K., Belin, S., Wang, C., Keelan, N., Wang, X., and He, Z. Short hairpin RNA against PTEN enhances intrinsic growth of corticospinal tract axons after spinal cord injury. *J. Neurosci.* 33, 15350- 15261, 2013.
42. O'Donovan KJ, Ma K, Guo H, Wang C, Sun F, Han SB, Kim H, Wong JK, Charron J, Zou H, Son YJ, He Z, Zhong J. B-Raf kinase drives developmental axon growth and promotes axon regeneration in the injured mature CNS. *J Exp Med.* 211, 801-814, 2014.
43. Ni, Y, Nawabi, H., Liu, X., Yang, L., Miyamichi, K., Tedeschi, A., Xu, B., Wall, N. R., Callaway, E. M., and He, Z. Characterization of long-descending pre-motor propriospinal neurons in the spinal cord. *J. Neurosci.* 34, 9404-9417, 2014.
44. Duan, X., Qiao, M, Bei, F., Kim, I-J., He, Z* and Sanes, J.R.* (*co-senior authors). Subtype-specific regeneration of retinal ganglion cells following axotomy: effects of osteopontin and mTOR signaling. *Neuron* 85, 1244-1256, 2015.
45. Belin, S., Nawabi, H., Wang, C., Warren, P., Latremoliere, A., Schorle, H., Uncu, C., Wool, C., He, Z* and Steen, J* (*co-senior authors). Injury induced decline of intrinsic regenerative ability revealed by quantitative proteomics. *Neuron* 86, 1000-1014, 2015.
46. Geoffroy, C.G., Lorenzana, A.O., Kwan, J.P., Lin, K., Ghassemi, O., Ma, A., Xu, N., Greger, D., He, Z., and Zheng, B. Effects of PTEN and Nogo codeletion on corticospinal axon sprouting and regeneration in mice. *J. Neurosci.* 35, 6413-6428 (2015).
47. Omura T, Omura K, Tedeschi A, Riva P, Painter MW, Rojas L, Martin J, Lisi V, Huebner EA, Latremoliere A, Yin Y, Barrett LB, Singh B, Lee S, Crisman T, Gao F, Li S, Kapur K, Geschwind DH, Kosik KS, Coppola G, **He Z**, Carmichael ST, Benowitz LI, Costigan M, Woolf CJ. Robust Axonal Regeneration Occurs in the Injured CAST/Ei Mouse CNS. *Neuron* 86, 1215-1227, 2015.
48. Jin, D., Liu, Y., Sun, F., Wang X., Liu, X., and **He, Z**. Restoration of skilled locomotion by sprouting corticospinal axons induced by co-deletion of PTEN and SOCS3. *Nature Commun.* 2015 Nov 24;6:8074.

49. Nawabi, H., Belin, S., Cartoni, R., Williams, P.R., Wang, C., Latremolière, A., Wang, X., Fu, X., Zhu, J., Taub, D.G., Yu, B., Gu, X., Woolf, C.J., Liu, J.S., Gabel, C.V., Steen, J. A., and **He, Z.** Doublecortin-like kinases promote neuronal survival and induce growth cone reformation *via* distinct mechanisms. *Neuron* 88, 704-719, 2015.
50. Bei, F., Lee, H.H.C., Liu, X., Gunner, G., Jin, H., Ma, L., Wang, C., Hou, L., Hensch, T.K., Frank, E., Sanes, J.R., Chen, C., Fagiolini, M., and **He, Z.** Restoration of visual function by enhancing conduction in regenerated axons. *Cell* 164, 219-232, 2016.

Reviews, chapters, monographs and editorials

1. Wong JM, He Z, Ingles CJ. Nucleotide excision repair in *Saccharomyces cerevisiae* whole-cell extracts. *Methods Mol Biol* 1999;113:317-326.
2. Chen H, He Z, Tessier-Lavigne M. Axon guidance mechanisms: semaphorins as simultaneous repellents and anti-repellents. *Nat Neurosci* 1998;1:436-439.
3. He Z. Crossed wires: L1 and neuropilin interactions. *Neuron* 2000;27:191-193, 2000.
4. He Z, Wang KC, Koprivica V, Ming G, Song HJ. Knowing how to navigate: mechanisms of semaphorin signaling in the nervous system. *Sci STKE* 2002;12;2002(119):RE1.
5. Yiu G, He Z. Signaling mechanisms of myelin inhibitors of axon regeneration. *Curr Opin Neurobiol* 2003;13:545-551.
6. He Z, Koprivica V. The Nogo Signaling Pathway for Regeneration Block. *Ann Review Neurosci* 2004;27:341-368.
7. Yiu G, He Z. Glial inhibition of CNS axon regeneration. *Nature Rev Neurosci* 2006;7:617-627.
8. Park KK, Liu K, Hu Y, Kanter JL, He Z. PTEN/mTOR and axon regeneration. *Experimental Neurol* 2010;223:45.
9. Sun F, He Z. Neuronal intrinsic barriers for axon regeneration in the adult CNS. *Curr Opin Neurobiol* 2010;20(4):510-518.
10. Tedeschi A He Z. Axon regeneration: electrical silencing is a condition for regrowth. *Curr*

Biol. 2010;20(17):R713-R714.

11. Liu K, Tedeschi K, Park, He Z. Intrinsic controls of axon regeneration. *Ann Rev Neurosci* 34, 131-152, 2011.
12. Zukor K, He Z. Regenerative medicine: drawing breath after spinal injury. *Nature* 13;475:177-1778, 2011.
13. Nawabi, H, Zukor, K, and He, Z. No simpler than mammals: axon and dendrite regeneration in *Drosophila*. *Genes Dev.* 26:1509-1514, 2012.
14. L. Lu and He, Z. Molecular mechanisms of intrinsic growth ability. *Curr Opin Neurobiol* 27C: 135-142, 2014.
15. Belin S, Norsworthy M, He Z. Independent control of aging and axon regeneration. *Cell Metabolism* 19, 354-356, 2014.
16. Liu X, Williams PR, He Z. SOCS3: a common target for neuronal protection and axon regeneration after spinal cord injury. *Exp Neurol.* 2015 Jan;263:364-7. doi: 10.1016/j.expneurol.2014.10.024.
17. **Z. He** and Y. Jin. Intrinsic Control of Axon Regeneration. *Neuron* (in press).